	Application No.	Applicant(s)
Notice of Allowability	09/909,140	ZAKHOR ET AL.
	Examiner	Art Unit
	Dave Czekaj	2613
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not included nunication will be mailed in due course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to <u>amendment filed 11-</u>	<u>24-04</u> .	
2. The allowed claim(s) is/are 35-46.		
3. A The drawings filed on 18 July 2001 are accepted by the Ex	kaminer.	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority uses</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> </ul>	e been received. e been received in Applicat	ion No
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fil //ENT of this application.	e a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment o	or in the Office action of
Identifying indicia such as the application number (see 37 CFR a each sheet. Replacement sheet(s) should be labeled as such in	l.84(c)) should be written on the header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of I	nformal Patent Application (PTO-152)
2. $\square$ Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date		./Mail Date s Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner' 9. ☐ Other	s Statement of Reasons for Allowance
-or biological material	o	20 Milly
	QI I	CMRIS KELLEY PERVISCRY PATENT EXAMINER

Application/Control Number: 09/909,140

Art Unit: 2613

## **DETAILED ACTION**

## Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

Zakhor (5699121) discloses an apparatus that relates to the processing of low bit rate signals (Zakhor: column 1, lines 13-16). This apparatus comprises "designating an initial reference dictionary of functions" (Zakhor: figure 1, column 4, lines 59-67, wherein the dictionary is the pattern library, the functions are the signal patterns), "designating a set of video sequences to be used as training sequences" (Zakhor: column 4, lines 1-18, wherein the training sequences are the reference frame signals), "calculating the motion residual image for at least one of the frames from the set of the video sequences" (Zakhor: column 4, lines 31-36), "determining an energy threshold for evaluating the residual image" (Zakhor: column 5, lines 9-23, wherein the threshold has been previously applied to only use the high energy portions), "evaluating the residual image for portions above the threshold" (Zakhor: column 5, lines 9-23, wherein the portions above the threshold are the high energy portions), "comparing a first high energy portion of the residual image to at least one function in the reference dictionary" (Zakhor: column 5, lines 47-54, wherein the high energy portion is compared to patterns or functions in the library or dictionary), "extracting the first high energy portion of the residual image" (Zakhor: column 5, lines 9-23, wherein the high energy portion is extracted from the image) and "storing the extracted high energy portion of the residual image" (Zakhor: column 6, lines 38Application/Control Number: 09/909,140 Page 3

Art Unit: 2613

44, wherein the buffer is the storage medium). However, this apparatus lacks synthesizing the dictionary from the high-energy portions as claimed. This apparatus further lacks dividing the high energy portions into subsets for using in calculating and updated dictionary pattern. A further search was conducted which failed to yield any prior art. Therefore, the prior art fails to teach or render obvious these limitations taken within the others in the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Czekaj whose telephone number is (571) 272-7327. The examiner can normally be reached on Monday - Friday 9 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571) 272-7331. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/909,140

Art Unit: 2613

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

CHRIS KELLEY

Page 4

SUPERVICURY PATENT EXAMINER

TECHNOLOGY CENTER 2600